Artwork Specifications

2440x2440mm 2440x3000mm 2440x3660mm 2440x4880mm

Print Ready Artwork Requirement:

Artwork to be supplied as a PDF file.

Artwork to be set up as CMYK or Pantone color mode.

All the text must be outlined/ convert to path.

All images and elements must be embed. No trim, crop or registration marks.

Artwork to be supplied at 100% 50% 25% or 10%. The correct proportion is important.

Photographic images should be supplied at 150dpi or better resolution.


Send Artwork:

Email to artwork@bigbanner.com.au if size is less than 20MB.

For large artwork, use free service of www.wetransfer.com/www.hightail.com,

or any other website to upload file and send us the download link.

(with clear reference of your order/invoice number)



Artwork Specifications

2440x2440mm

Print Ready Artwork Requirement:

Artwork to be supplied as a PDF file.

Artwork to be set up as CMYK or Pantone color mode.


All the text must be outlined/convert to path.

All images and elements must be embed. No trim, crop or registration marks.

Artwork to be supplied at 100% 50% 25% or 10%. The correct proportion is important.

Photographic images should be supplied at 150dpi or better resolution.

Send Artwork:







Artwork Specifications

2440x3000mm

Print Ready Artwork Requirement:

Artwork to be supplied as a PDF file.

Artwork to be set up as CMYK or Pantone color mode.


All the text must be outlined/ convert to path.

All images and elements must be embed . No trim, crop or registration marks.

Artwork to be supplied at 100% 50% 25% or 10%. The correct proportion is important.

Photographic images should be supplied at 150dpi or better resolution.

Send Artwork:







Artwork Specifications

2440x3660mm

Print Ready Artwork Requirement:

Artwork to be supplied as a PDF file.

Artwork to be set up as CMYK or Pantone color mode.


All the text must be outlined/ convert to path.

All images and elements must be embed . No trim, crop or registration marks.

Artwork to be supplied at 100% 50% 25% or 10%. The correct proportion is important.

Photographic images should be supplied at 150dpi or better resolution.

Send Artwork:







Artwork Specifications

2440x4880mm

Print Ready Artwork Requirement:

Artwork to be supplied as a PDF file.

Artwork to be set up as CMYK or Pantone color mode.

All the text must be outlined/ convert to path.

All images and elements must be embed . No trim, crop or registration marks.

Artwork to be supplied at 100% 50% 25% or 10%. The correct proportion is important.

Photographic images should be supplied at 150dpi or better resolution.

Send Artwork:





